



Moplen HP450J

Polypropylene, Homopolymer

Product Description

Moplen HP450J is a polypropylene homopolymer manufactured using the Spheripol process. Potential end use applications include yarn, tape, sheet and monofilament.

Product Characteristics

Status	Commercial: Active
Test Method used	ASTM
Availability	Asia-Pacific, Australia/NZ, Africa-Middle East
Processing Method	Blown film, Tapes & Raffia, Extrusion Pipe Sheet and Semi Finished Products
Features	Homopolymer, Good Processability, Good Strength, Good Stretchability
Typical Customer Applications	Stationery Film, Raffia/Tapes/Strapping, Filament Yarn

Typical Properties	Method	Value	Unit
Physical			
Melt flow rate (230°C/2.16kg) <i>Note: ASTM D1238L</i>	ASTM D 1238	3.25	g/10 min
Density	ASTM D 1505	0.9	g/cm ³
Mechanical			
Tensile Strength @ Yield	ASTM D 638	370	kg/cm ²
Flexural Modulus	ASTM D 790	15500	kg/cm ²
Tensile Elongation @ Yld	ASTM D 638	11	%
Impact			
Notched izod impact (23 °C)	ASTM D 256	4	kg-cm/cm
Hardness			
Rockwell Hardness (R Scale)	ASTM D 785	110	
Thermal			
Heat deflection temperature at 0.46 N/mm ²	ASTM D 648	104	°C

Notes

Typical properties; not to be construed as specifications.

Copyright 2009 Basell Service Company B.V. All rights reserved.

For the contact details of the LyondellBasell company selling this product in your country, please visit <http://www.lyondellbasell.com/>.

Before using a LyondellBasell product, customers and other users should make their own independent determination that the product is suitable for the intended use. They should also ensure that they can use the LyondellBasell product safely and legally. This document does not constitute a warranty, express or implied, including a warranty of merchantability or fitness for a particular purpose. In addition, no immunity under LyondellBasell's or third parties' intellectual property rights shall be implied from this document. No one is authorized to make any warranties, issue any immunities or assume any liabilities on behalf of LyondellBasell except in a writing signed by an authorized LyondellBasell employee. Unless otherwise agreed in writing, the exclusive remedy for all claims is replacement of the product or refund of the purchase price at LyondellBasell's option, and in no event shall LyondellBasell be liable for special, consequential, incidental, punitive or exemplary damages.

CRP, Adflex, Adstif, Adsyl, Akoalit, Akoafloor, Avant, Catalloy, Clyrell, Dexflex, Entegrity, Get in touch with, Hifax, Higran, Histif, Hostacom, Hostalen, Indure, Koattro, LIPP, Lucalen, Luflexen, Lupocomp, Lupolen, Lupolex, Luposim, Lupostress, Lupotech, Metocene, Moplen, Pristene, Purell, Pro-fax, Sequel, Sholybox, Softell, Spherilene, Spheripol, Spherizone, Stretchene, Toppyl and Valtec are trademarks owned or used by LyondellBasell group companies.

Adflex, Adstif, Adsyl, Akoalit, Akoafloor, Avant, Clyrell, CRP, Dexflex, Hifax, Hostacom, Hostalen, Indure, Koattro, Lucalen, Moplen, Purell, Pro-fax, Sequel, Softell, Spheripol, Spherizone and *Toppyl* are registered in the U.S. Patent and Trademark Office.

Unless specifically indicated, the grades mentioned are not suitable for applications in the pharmaceutical/medical sector.

Release Date: 06 Dec 2007